

OPTIONAL -

CAMPBELL SECURITY SCREEN PREMIUM SERIES PROTECTIVE SECURITY DOOR

OUTSIDE VIEW

" DLO

" FD

3 3/8"


- G50MH029

CUSTOM DOOR (HEIGHT) GUIDELINES: PREMIUM HINGED 3 SIDED = 21.17" RECOMMENDED MIN HEIGH PREMIUM FRENCH 3 SIDED=210.14" RECOMMENDED MAX HEIGHT CUSTOM DOOR (WIDTH) GUIDELINES: PREMIUM HINGED 3 SIDED =13.29" RECOMMENDED MIN WIDTH

PREMIUM FRENCH 3 SIDED = 80.22" RECOMMENDED MAXWIDTH


OPTIONS:

MID-RAIL OPTIONS - VERTICAL AND HORIZONTAL (DETAIL 3/1.01 INSIDE LEVER OPERATED LOCK TRIPLE POINT LOCKS



PREMIUM PIVOT DOOR - 3 SIDED FRAME (SHOWN RHR & LHR SWING)

DOOR SWING CHART



ALL CUSTOMERS WHO IN ANY WAY UTILIZE THIS PRODUCT ARE SOLELY RESPONSIBLE TO CONSULT A STRUCTURAL ENGINEER TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND SITE CONDITIONS. ALL INSTALLERS MUST BE QUALIFIED AND HAVE PROFESSIONAL KNOWLEDGE ABOUT COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, SAFETY FACTORS, AND THE APPROPRIATE CHOICE OF FIXING MATERIAL AND PROCEDURES.

STRUCTURAL DISCLAIMER:

COLOR OPTIONS:

- WHITE

- BLACK

- BROWN

- SILVER - ALMOND

- SAHARA BROWN


LIGHT GRAY


BRONZE - SAHARA GRAY

- CUSTOM

"INDUSTRY STANDARD" DOOR STYLES AND SWINGING DOOR PATTERNS


THERE ARE THREE BASIC DOOR STYLES TYPICALLY REFERRED TO THROUGHOUT THE INDUSTRY APPLICABLE TO THE CAMPBELL SECURITY SCREEN PROTECTIVE STYLE AND SWING, IT WILL HELP MAKE CLEAR WHAT YOUR INTENTIONS ARE FOR THE PARTICULAR PROJECT. FOR MORE INFORMATION PLEASE CONTACT US AT(800) 580-9997 OR FAX US AT (714) 375-7131.







FLOOR LEVEL 0'-0"



3 SECTION DETAIL AT MIDRAIL - OPTIONAL

ARCH REF: N/A

1'-0"="

PREMIUM PIVOT DOOR WITH 3 SIDED FRAME DETAILS

