


CAMPBELL SECURITY SCREEN PREMIUM SERIES PROTECTIVE SECURITY DOOR



PREMIUM PIVOT FRENCH DOOR - 3 SIDED FRAME

CUSTOM DOOR (HEIGHT) GUIDELINES:

PREMIUM HINGED 3 SIDED = 21.17" RECOMMENDED MIN HEIGHT PREMIUM FRENCH 3 SIDED=210.14" RECOMMENDED MAX HEIGHT CUSTOM DOOR (WIDTH) GUIDELINES:

PREMIUM HINGED 3 SIDED =13.29" RECOMMENDED MIN WIDTH PREMIUM FRENCH 3 SIDED = 80.22" RECOMMENDED MAXWIDTH

OPTIONS:

KING LONG PINS HARDWARE - FRENCH DOORS ONLY MID-RAIL OPTIONS - VERTICAL AND HORIZONTAL (DETAIL 3/1.01) INSIDE LEVER OPERATED LOCK TRIPLE POINT LOCKS


COLOR OPTIONS:

- WHITE
- BLACKBROWN
- SAHARA BROWN
- LIGHT GRAY
- SILVERALMOND
- BRONZESAHARA GRAY
- CUSTOM

STRUCTURAL DISCLAIMER:


ALL CUSTOMERS WHO IN ANY WAY UTILIZE THIS PRODUCT ARE SOLELY RESPONSIBLE TO CONSULT A STRUCTURAL ENGINEER TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND SITE CONDITIONS. ALL INSTALLERS MUST BE QUALIFIED AND HAVE PROFESSIONAL KNOWLEDGE ABOUT COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, SAFETY FACTORS, AND THE APPROPRIATE CHOICE OF FIXING MATERIAL AND PROCEDURES.


DOOR SWING CHART





"INDUSTRY STANDARD" DOOR STYLES AND SWINGING DOOR PATTERNS

THERE ARE THREE BASIC DOOR STYLES
TYPICALLY REFERRED TO THROUGHOUT THE
INDUSTRY APPLICABLE TO THE CAMPBELL SECURITY SCREEN PROTECTIVE
SECURITY SCREEN DOOR SYSTEMS. BY IDENTIFYING YOUR BASIC DOOR
STYLE AND SWING, IT WILL HELP MAKE CLEAR
WHAT YOUR INTENTIONS ARE FOR THE PARTICULAR PROJECT. FOR MORE
INFORMATION PLEASE CONTACT US AT(800) 580-9997 OR FAX US AT (714) 375-7131.









3 SECTION DETAIL AT MIDRAIL - OPTIONAL

ARCH REF: N/A

1'-0"=1'-

PREMIUM PIVOT FRENCH DOOR WITH 3 SIDED FRAME DETAILS

