




CAMPBELL SECURITY SCREEN PROTECTIVE SECURITY DOOR



CUSTOM DOOR (HEIGHT) GUIDELINES:
SLIDING QUAD DOORS DOUBLE TRACK = 27.56" RECOMMENDED MIN HEIGHT
SLIDING QUAD DOORS DOUBLE TRACK = 124" RECOMMENDED MAX HEIGHT
CUSTOM DOOR (WIDTH) GUIDELINES:
SLIDING QUAD DOORS DOUBLE TRACK = 11.81" RECOMENDED MIN WIDTH
SLIDING QUAD DOORS DOUBLE TRACK = 60" RECOMENDED MAX WIDTH

OPTIONS:
DOOR HANDLE AT 44" - TYPICAL (< 44" WILL BE CHARGED EXTRA)
MID-RAIL OPTIONS - VERTICAL AND HORIZONTAL (DETAIL 3/1.01)

COLOR OPTIONS:
- WHITE
- BLACK
- BROWN
- SAHARA BROWN
- LIGHT GRAY
- SILVER
- ALMOND
- BRONZE
- SAHARA GRAY
- CUSTOM


STRUCTURAL DISCLAIMER:

ALL CUSTOMERS WHO IN ANY WAY UTILIZE THIS PRODUCT ARE SOLELY RESPONSIBLE TO CONSULT A STRUCTURAL ENGINEER TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND SITE CONDITIONS. ALL INSTALLERS MUST BE QUALIFIED AND HAVE PROFESSIONAL KNOWLEDGE ABOUT COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, SAFETY FACTORS, AND THE APPROPRIATE CHOICE OF FIXING MATERIAL AND PROCEDURES.




QUAD SLIDING DOOR DOUBLE TRACK

SLIDE DOOR CHART




"INDUSTRY STANDARD" DOOR STYLES AND SLIDING DOOR PATTERNS

THERE ARE THREE BASIC DOOR STYLES TYPICALLY REFERRED TO THROUGHOUT THE INDUSTRY APPLICABLE TO THE CAMPBELL SECURITY SCREEN PROTECTIVE SECURITY SCREEN DOOR SYSTEMS. BY IDENTIFYING YOUR BASIC DOOR STYLE AND SWING, IT WILL HELP MAKE CLEAR WHAT YOUR INTENTIONS ARE FOR THE PARTICULAR PROJECT. FOR MORE INFORMATION PLEASE CONTACT US AT(800) 580-9997 OR FAX US AT (714) 375-7131.




① SECTION DETAIL AT HEAD
ARCH REF: N/A 1'-0"=1'-0"




② SECTION DETAIL AT SILL
ARCH REF: N/A 1'-0"=1'-0"


QUAD SLIDING DOOR DOUBLE TRACK DETAILS



① SECTION DETAIL AT HEAD
 ARCH REF: N/A 1'-0"=1'-0"



② SECTION DETAIL AT SILL
 ARCH REF: N/A 1'-0"=1'-0"



③ SECTION DETAIL AT MIDRAIL - OPTIONAL
 ARCH REF: N/A 1'-0"=1'-0"

QUAD SLIDING DOOR DOUBLE TRACK DETAILS - OPTIONAL



